

# A 4 : 1 Unequal Wilkinson Power Divider

Jong-Sik Lim, Sung-Won Lee, Chul-Soo Kim, Jun-Seok Park, Dal Ahn, and Sangwook Nam

**Abstract**—This letter presents the design and measured performances of a microstrip 4 : 1 unequal Wilkinson power divider. The divider is designed using the conventional Wilkinson topology with the defected ground structure (DGS). The DGS on the ground plane provides an additional effective inductive component to the microstrip line. This enables the microstrip line to be realized with very high impedance of over 150  $\Omega$ . By employing the DGS to the unequal Wilkinson topology, 4 : 1 power dividing ratio can be obtained easily without any problem in realization, while it has been impractical to fabricate a 4 : 1 divider using the conventional microstrip line because of very thin conductor width and extremely low aspect ratio ( $W/H$ ). As an example, a 4 : 1 divider has been designed and measured at 1.5 GHz in order to show the validity of the proposed DGS and unequal divider. The measured performances of the 4 : 1 unequal power divider well agree with the exactly same dividing ratio as that expected.

**Index Terms**—4 : 1 power, defected ground structure, DGS, unequal power divider, Wilkinson power divider.

## I. INTRODUCTION

POWER dividers and combiners are used extensively in RF/microwave power amplifiers, linearizers, and many kinds of test equipment. Among all sorts of divider, the Wilkinson topology shows the basic concept of  $N$ -way power dividing by its simple structure [1]. The 2-way equal dividing is a typical application of the Wilkinson structure, because it is very simple to design, realize, and test. On the contrary to this simplicity of the 1 : 1 divider, the unequal Wilkinson divider has been used with strict restrictions in design and fabrication because it requires a microstrip line with very high impedance, i.e., extremely low aspect ratio ( $W/H$ ) or very thin conductor width. For example, a 4 : 1 Wilkinson divider requires 158  $\Omega$  microstrip line. In practice, the characteristic impedance of a realizable microstrip has its limitation at around 120 ~ 130  $\Omega$ , although it depends on the dielectric constant ( $\epsilon_r$ ) and the thickness of the substrate ( $H$ ). It is almost impractical to realize a 158  $\Omega$  line using the conventional microstrip structure.

To overcome this limitation in realizable characteristic impedance, a much wider conductor for the microstrip line is required for the same characteristic impedance. Recently, it has been reported that the microstrip line with Defected Ground Structure (DGS) patterns in the ground plane has




Fig. 1. Conventional  $N : 1$  unequal Wilkinson power divider. Characteristic impedance and resistor values are shown in Table I.

TABLE I  
CHARACTERISTIC IMPEDANCE AND RESISTOR VALUES OF  $N : 1$  UNEQUAL WILKINSON POWER DIVIDER SHOWN IN FIG. 1

$N$	$Z_2$ [ $\Omega$ ]	$Z_3$ [ $\Omega$ ]	$R_{int}$ [ $\Omega$ ]	$R_2$ [ $\Omega$ ]	$R_3$ [ $\Omega$ ]
2	51.5	103.0	106.1	35.4	70.7
3	43.9	131.6	115.5	28.9	86.6
4	39.5	158.1	125.0	25.0	100.0

the stop band characteristics due to the equivalent effective inductance of the DGS [2]–[4]. One remarkable advantage of using the DGS under the microstrip line is that it is possible to increase the characteristic impedance by this additional effective inductance generated by the DGS. This inductance enables the characteristic impedance of the microstrip line to be much higher than that of a conventional microstrip without the DGS for the same conductor width.

In this letter, a design and measured performances of a 4 : 1 unequal Wilkinson power divider are presented. This divider has a 158  $\Omega$  microstrip line with reasonable width for easy fabrication. The 158  $\Omega$  microstrip line with the DGS has a much wider conductor width than that of the conventional microstrip line by 238% and a reduced length of  $\lambda/4$  by 83%. The 4 : 1 divider has been fabricated using the general MIC technology and measured at 1.5 GHz. The measured performances, which are in very good agreement with the predicted ones exactly, will be shown in the following sections.

## II. DESIGN OF A 4 : 1 UNEQUAL WILKINSON POWER DIVIDER

Fig. 1 shows the conventional  $N : 1$  unequal Wilkinson power divider [5], and Fig. 2 the proposed 4 : 1 Wilkinson divider which has a 158  $\Omega$  microstrip line with the DGS. All characteristic impedances of the microstrip section and resistor values are listed in Table I. It is relatively easy to realize the unequal divider for  $N = 2$ . However it becomes impractical

Manuscript received November 20, 2000; revised January 3, 2000. This work was supported by the Brain Korea 21 Project.

J.-S. Lim is with the School of Electrical Engineering, Seoul National University, Seoul, Republic of Korea, and also with the Applied Electromagnetics Laboratory, Institute of New Media and Communications, Seoul National University, Seoul 151-742, Korea (e-mail: jslim@inmac3.snu.ac.kr).

S.-W. Lee, C.-S. Kim, J.-S. Park, and D. Ahn are with the Division of Information Technology Engineering, SoonChunHyang University, Chungnam, Korea.

S. Nam is with the School of Electrical Engineering, Seoul National University, Seoul, Korea.

Publisher Item Identifier S 1531-1309(01)03211-1.




Fig. 2. The proposed 4 : 1 unequal Wilkinson power divider which has a 158  $\Omega$  microstrip line with the DGS. The two identical DGS patterns are etched in the bottom plane, i.e., the ground plane. The DGS dimensions are  $a = b = g = 6$  mm and  $c = 0.4$  mm.  $Z_{L2}$  and  $Z_{L3}$  are the  $\lambda/4$  transformers between  $R_2$ ,  $R_3$ , and  $Z_o$ .

to fabricate from  $N = 3$  because  $Z_3$  must be a very high impedance value. The impedance values of over 158  $\Omega$  for  $N = 4, 5, \dots$  are extremely undesirable.

Recently, it has been reported that microstrip lines with the DGS on the ground plane have increased effective inductance [2]–[4], which plays a great role in increasing the characteristic impedance of the microstrip line. We realized the 158  $\Omega$  microstrip line with the DGS and fabricated a 4 : 1 divider using it in order to show that the DGS can be applied in realizing very high impedance microstrip lines. The 4 : 1 Wilkinson divider was fabricated easily using this high impedance line.

We analyzed the microstrip line with the DGS using an electromagnetic simulator for finding the impedance value ( $Z_3$ ).  $Z_3$  is determined from Fig. 3, the simple transmission line theory depicted in Fig. 4, and (1)–(3). Fig. 3 shows the simulated characteristics of the lower path with the DGS shown in Fig. 2. This transmission line with the DGS can be simplified like Fig. 4. Here,  $Z_o$ , i.e., 50  $\Omega$ , is the system characteristic impedance for the calculation of  $Z_3$  and measurement. It is attached to the line with the DGS as a load to calculate  $Z_3$ . When  $\theta = \pi/2$  at center frequency, the magnitude of the reflection coefficient ( $\Gamma$ ) is maximum. From the  $S_{11}$  at 1.5 GHz shown in Fig. 3 and (1),  $\Gamma$  can be calculated easily. Following (2) and (3) produce the  $Z_3$ , i.e., the impedance of microstrip line with the DGS. The calculated  $Z_3$  was 158  $\Omega$  finally.

$$S_{11} \text{ [dB]} = 20 \log |\Gamma| \quad (1)$$

$$Z_{in} = Z_o \frac{1 + |\Gamma|}{1 - |\Gamma|} \quad (2)$$

$$Z_3 = \sqrt{Z_{in} Z_o} = Z_o \sqrt{\frac{1 + |\Gamma|}{1 - |\Gamma|}}. \quad (3)$$

Two microstrip lines with 158  $\Omega$  of characteristic impedance were compared by their conductor width and length of  $\lambda/4$ . One is the proposed microstrip line with DGS and the other is conventional one. The substrate used is RT/Duroid 5880 with




Fig. 3. Characteristics of the microstrip line with the DGS whose impedance is  $Z_3$ .




Fig. 4. Simplified model for the microstrip line with the DGS.  $Z_o$  (50  $\Omega$ ) is the system characteristic impedance for the calculation of  $Z_3$  and measurement. Here,  $Z_o$  is attached as a load to calculate  $Z_3$ .

2.2 of the dielectric constant and 31 mils of the thickness. At 1.5 GHz, the conductor width of 158  $\Omega$  ( $W_3$  in Fig. 2) is 0.4 mm and the length of  $\lambda/4$  is 32.3 mm for the line with the DGS, while they are 0.17 mm and 38.83 mm for the conventional microstrip line. There are large differences between the two widths (0.4 mm/0.17 mm = 235%) and the two lengths of  $\lambda/4$  (32.3 mm/38.83 mm = 83%). The enlarged width and reduced length of the microstrip line mitigate the limit of low aspect ratio ( $W/H$ ) for 158  $\Omega$  and give the smaller circuit.

### III. MEASURED PERFORMANCES AND DISCUSSIONS

Fig. 5 shows the photograph of the fabricated 4 : 1 Wilkinson divider which has the 158  $\Omega$  microstrip line with the DGS. The termination resistors,  $R_2$  and  $R_3$ , are replaced by  $Z_{L2}$  and  $Z_{L3}$ ,  $\lambda/4$  transformers between  $R_2$ ,  $R_3$ , and  $Z_o$ , for the practical measurement system. Fig. 6 shows the ideal performances calculated by a circuit simulator and the measured ones of the 4 : 1 Wilkinson divider. The measured power dividing ratio is exactly 4 to 1 at port 2 and port 3 over 1.2 to 1.8 GHz with excellent matching and isolation. To our knowledge, this is the first implementation of such kind of 4 : 1 unequal Wilkinson divider using MIC fabrication technology.

Another important issue of the proposed divider is the power handling capability. In order to increase the operating power, the conductor width of microstrip line should be as wide as possible. For the same characteristic impedance, microstrip lines with the DGS have much wider conductor than conventional ones. Therefore, the DGS can be a good choice for the case of handling high power.




Fig. 5. Photograph of the fabricated 4 : 1 unequal Wilkinson power divider.




Fig. 6. Performances of 4 : 1 power divider: (a) Ideal performances and (b) measured performances of the fabricated divider.

#### IV. CONCLUSION

We proposed a 4 : 1 unequal Wilkinson power divider using a microstrip with the DGS on the ground plane. Due to the increased effective inductance of the DGS, the aspect ratio of the  $158 \Omega$  microstrip line has been increased to 235% and the length of  $\lambda/4$  has been reduced to 83%. The fabricated conductor width of the  $158 \Omega$  microstrip line were 0.4 mm, while 0.17 mm for the conventional one. The enlarged conductor width and reduced length has a great advantage in design and realization such a high impedance line and smaller circuit. The fabricated 4 : 1 divider showed excellent matching and isolation, and exact dividing ratios of  $-1$  dB and  $-7$  dB at port 2 and port 3 without additional losses induced by the DGS over 1.2 ~ 1.8 GHz.

#### REFERENCES

- [1] E. J. Wilkinson, "An N-way hybrid power divider," *IRE Trans. Microwave Theory Tech.*, vol. MTT-8, pp. 116-118, Jan. 1960.
- [2] C. S. Kim, J. S. Park, D. Ahn, and J. B. Lim, "A novel 1-D periodic defected ground structure for planar circuits," *IEEE Microwave Guide Wave Lett.*, vol. 10, pp. 131-133, Apr. 2000.
- [3] J. I. Park, C. S. Kim, J. Kim, J.-S. Park, Y. Qian, D. Ahn, and T. Itoh, "Modeling of a photonic bandgap and its application for the low-pass filter design," *Proc. APMC'99*, pp. 331-334, 1999.
- [4] C. S. Kim, J. S. Lim, J. S. Park, D. Ahn, and S. Nam, "A 10 dB branch line coupler using defected ground structure," in *Proc. EUMC 2000*, vol. 3, Oct. 2000, pp. 68-71.
- [5] D. M. Pozar, *Microwave Engineering*, 2nd ed. New York: Wiley, 1998, pp. 367-368.

## 射频和天线设计培训课程推荐

易迪拓培训([www.edatop.com](http://www.edatop.com))由数名来自于研发第一线的资深工程师发起成立,致力并专注于微波、射频、天线设计研发人才的培养;我们于 2006 年整合合并微波 EDA 网([www.mweda.com](http://www.mweda.com)),现已发展成为国内最大的微波射频和天线设计人才培养基地,成功推出多套微波射频以及天线设计经典培训课程和 ADS、HFSS 等专业软件使用培训课程,广受客户好评;并先后与人民邮电出版社、电子工业出版社合作出版了多本专业图书,帮助数万名工程师提升了专业技术能力。客户遍布中兴通讯、研通高频、埃威航电、国人通信等多家国内知名公司,以及台湾工业技术研究院、永业科技、全一电子等多家台湾地区企业。

易迪拓培训课程列表: <http://www.edatop.com/peixun/rfe/129.html>




### 射频工程师养成培训课程套装

该套装精选了射频专业基础培训课程、射频仿真设计培训课程和射频电路测量培训课程三个类别共 30 门视频培训课程和 3 本图书教材;旨在引领学员全面学习一个射频工程师需要熟悉、理解和掌握的专业知识和研发设计能力。通过套装的学习,能够让学员完全达到和胜任一个合格的射频工程师的要求...

课程网址: <http://www.edatop.com/peixun/rfe/110.html>

### ADS 学习培训课程套装

该套装是迄今国内最全面、最权威的 ADS 培训教程,共包含 10 门 ADS 学习培训课程。课程是由具有多年 ADS 使用经验的微波射频与通信系统设计领域资深专家讲解,并多结合设计实例,由浅入深、详细而又全面地讲解了 ADS 在微波射频电路设计、通信系统设计和电磁仿真设计方面的内容。能让您在最短的时间内学会使用 ADS,迅速提升个人技术能力,把 ADS 真正应用到实际研发工作中去,成为 ADS 设计专家...



课程网址: <http://www.edatop.com/peixun/ads/13.html>



### HFSS 学习培训课程套装

该套课程套装包含了本站全部 HFSS 培训课程,是迄今国内最全面、最专业的 HFSS 培训教程套装,可以帮助您从零开始,全面深入学习 HFSS 的各项功能和在多个方面的工程应用。购买套装,更可超值赠送 3 个月免费学习答疑,随时解答您学习过程中遇到的棘手问题,让您的 HFSS 学习更加轻松顺畅...

课程网址: <http://www.edatop.com/peixun/hfss/11.html>

## CST 学习培训课程套装

该培训套装由易迪拓培训联合微波 EDA 网共同推出,是最全面、系统、专业的 CST 微波工作室培训课程套装,所有课程都由经验丰富的专家授课,视频教学,可以帮助您从零开始,全面系统地学习 CST 微波工作的各项功能及其在微波射频、天线设计等领域的设计应用。且购买该套装,还可超值赠送 3 个月免费学习答疑...

课程网址: <http://www.edatop.com/peixun/cst/24.html>



## HFSS 天线设计培训课程套装

套装包含 6 门视频课程和 1 本图书,课程从基础讲起,内容由浅入深,理论介绍和实际操作讲解相结合,全面系统的讲解了 HFSS 天线设计的全过程。是国内最全面、最专业的 HFSS 天线设计课程,可以帮助您快速学习掌握如何使用 HFSS 设计天线,让天线设计不再难...

课程网址: <http://www.edatop.com/peixun/hfss/122.html>

## 13.56MHz NFC/RFID 线圈天线设计培训课程套装

套装包含 4 门视频培训课程,培训将 13.56MHz 线圈天线设计原理和仿真设计实践相结合,全面系统地讲解了 13.56MHz 线圈天线的工作原理、设计方法、设计考量以及使用 HFSS 和 CST 仿真分析线圈天线的具体操作,同时还介绍了 13.56MHz 线圈天线匹配电路的设计和调试。通过该套课程的学习,可以帮助您快速学习掌握 13.56MHz 线圈天线及其匹配电路的原理、设计和调试...

详情浏览: <http://www.edatop.com/peixun/antenna/116.html>



### 我们的课程优势:

- ※ 成立于 2004 年,10 多年丰富的行业经验,
- ※ 一直致力并专注于微波射频和天线设计工程师的培养,更了解该行业对人才的要求
- ※ 经验丰富的一线资深工程师讲授,结合实际工程案例,直观、实用、易学

### 联系我们:

- ※ 易迪拓培训官网: <http://www.edatop.com>
- ※ 微波 EDA 网: <http://www.mweda.com>
- ※ 官方淘宝店: <http://shop36920890.taobao.com>